



Flachprofile gepresst
Méplats pressés

EN AW-6060
AlMgSi (AlMgSi0.5) EN AW-6082
AlSi1MgMn (AlMgSi1)

Chem. Zusammensetzung DIN EN 573-3
Composition chimique:
Mech.Wert/ Propr. mécaniques: DIN EN 755-2
Dimension/Dimension: DIN EN 755-5
Stangenlänge/Longueur: • 6 m, o 3 m
Zustand/Etat: EN AW-6060 T66, EN AW-6082 T6 nach/selon DIN EN 515

mm				kg/m	EN AW-6060	EN AW-6082	mm				kg/m	EN AW-6060	EN AW-6082
8	x	3	0.06	●			20	x	2	0.11	●		
8	x	4	0.09	●			20	x	3	0.16	●		
8	x	5	0.11	●			20	x	4	0.22	●		
10	x	2	0.05	●			20	x	5	0.27	●		
10	x	3	0.08	●			20	x	6	0.32	●		
10	x	4	0.11	●			20	x	8	0.43	●		
10	x	5	0.14	●			20	x	10	0.54	●		
10	x	6	0.16	●			20	x	12	0.65	●		
10	x	8	0.22	●			20	x	15	0.81	●		
12	x	2	0.06	●			25	x	2	0.14	●		
12	x	3	0.10	●			25	x	3	0.20	●		
12	x	4	0.13	●			25	x	4	0.27	●		
12	x	6	0.19	●			25	x	5	0.34	●		
12	x	8	0.26	●			25	x	6	0.41	●		
12	x	10	0.32	●			25	x	8	0.54	●		
15	x	2	0.08	●			25	x	10	0.68	●		
15	x	3	0.12	●			25	x	12	0.81	●		
15	x	4	0.16	●			25	x	15	1.01	●		
15	x	5	0.20	●			25	x	20	1.35	●		
15	x	6	0.24	●			30	x	2	0.16	●		
15	x	8	0.32	●			30	x	3	0.24	●		
15	x	10	0.41	●			30	x	4	0.32	●		
18	x	5	0.24	●			30	x	5	0.41	●		
18	x	8	0.39	●			30	x	6	0.49	●		
							30	x	8	0.65	●		
							30	x	10	0.81	●		

Fortsetzung siehe Seite 3.11/suite voir page 3.11



mm				kg/m	EN AW-6060	EN AW-6082	mm				kg/m	EN AW-6060	EN AW-6082
30	x	12	0.97	●			50	x	25	3.38			●
30	x	15	1.22	●			50	x	30	4.05			●
30	x	20	1.62	●			50	x	40	5.40			●
30	x	25	2.03	●			60	x	3	0.49	●		
35	x	2	0.19	●			60	x	4	0.65	●		
35	x	3	0.28	●			60	x	5	0.81	●		
35	x	4	0.38	●			60	x	6	0.97	●		
35	x	5	0.47	●			60	x	8	1.30	●		
35	x	6	0.57	●			60	x	10	1.62	●		
35	x	8	0.76	●			60	x	12	1.94	●		
35	x	10	0.95	●			60	x	15	2.43			●
35	x	12	1.13	●			60	x	20	3.24			●
35	x	15	1.42	●			60	x	25	4.05	●		
35	x	20	1.89	●			60	x	30	4.86			●
35	x	25	2.36	●			60	x	35	5.67			●
40	x	2	0.22	●			60	x	40	6.48			●
40	x	3	0.32	●			70	x	3	0.57	●		
40	x	4	0.43	●			70	x	4	0.76	●		
40	x	5	0.54	●			70	x	5	0.95	●		
40	x	6	0.65	●			70	x	6	1.13	●		
40	x	8	0.86	●			70	x	8	1.51	●		
40	x	10	1.08	●			70	x	10	1.89	●		
40	x	12	1.30	●			70	x	12	2.27	●		
40	x	15	1.62	●			70	x	15	2.84	●		
40	x	20	2.16	●			70	x	20	3.78			●
40	x	25	2.70	●			70	x	25	4.73			●
40	x	30	3.24	●			70	x	30	5.67			●
45	x	4	0.49	●			70	x	40	7.56			●
45	x	5	0.61	●			80	x	3	0.65	●		
45	x	6	0.73	●			80	x	4	0.86	●		
45	x	8	0.97	●			80	x	5	1.08	●		
45	x	10	1.22	●			80	x	6	1.30	●		
45	x	20	2.43	●			80	x	8	1.73	●		
50	x	2	0.27	●			80	x	10	2.16	●		
50	x	3	0.41	●			80	x	12	2.59	●		
50	x	4	0.54	●			80	x	15	3.24			●
50	x	5	0.68	●			80	x	20	4.32			●
50	x	6	0.81	●			80	x	25	5.40			●
50	x	8	1.08	●			80	x	30	6.48			●
50	x	10	1.35	●			80	x	40	8.64			●
50	x	12	1.62	●			80	x	50	10.80			●
50	x	15	2.03			●	80	x	60	12.96			○
50	x	20	2.70			●	90	x	8	1.94	●		

Fortsetzung siehe Seite 3.12/suite voir page 3.12



mm		kg/m	EN AW-6060	EN AW-6082
100	x 3	0.81	●	
100	x 4	1.08	●	
100	x 5	1.35	●	
100	x 6	1.62	●	
100	x 8	2.16	●	
100	x 10	2.70	●	
100	x 12	3.24	●	
100	x 15	4.05		●
100	x 20	5.40		●
100	x 25	6.75		●
100	x 30	8.10		●
100	x 40	10.80		●
100	x 50	13.50		●
100	x 60	16.20		○
120	x 4	1.30	●	
120	x 5	1.62	●	
120	x 6	1.94	●	
120	x 8	2.59	●	
120	x 10	3.24	●	
120	x 12	3.89	●	
120	x 15	4.86		●
120	x 20	6.48		●
120	x 30	9.72		●
120	x 50	16.20		○
120	x 60	19.44		○
150	x 10	4.05	●	
150	x 12	4.86	●	
150	x 15	6.08		●
150	x 20	8.10		●
150	x 30	12.15		●
150	x 40	16.20		○
150	x 50	20.25		○
200	x 10	5.40	●	
200	x 12	6.48		●
200	x 15	8.10	●	
200	x 20	10.80		●
250	x 10	6.75	●	

Flachprofile EN AW-2030 (AlCu4PbMg) kurzfristig ab
Werkslager lieferbar.

Méplats EN AW-2030 (AlCu4PbMg) disponibles rapidement
du stock usine.